

LX Hausys

www.hflor.eu

H·FLOR

Installation Guideline



Risilient Flooring



1. INTRODUCTION

Floorcoverings designed and produced by LG HAUSYS (LXH) as DECOLAY collection is interior floorcovering products for a looselay application compliant with the regional rules.

2. PRIOR TO INSTALLATION

<u>Storage</u>

DECOTILE & PRESTG DRYBACK must be stored on a flat surface in a dry and ventilated area. Do not store floor covering in very cold (less than 0°C) or very warm (more than 35°C) or humid area.¹


Inspection:


Despite the care and rigor during production, a visual inspection of the materials before installation is recommended, such as, batch number, reference, colour, design, and for differences or defects, to prevent from installation of false materials.²


In case any visual faults are detected on materials, do not install the faulty products and contact your local dealer, to obtain information about the way of proceeding.


LXH recommend to install products in with the same batch/lot number only in the same area.³

In any case, store the boxes laying down flat and do not store standing up or leaning the boxes on the wall.⁴














Acclimation:

DECOLAY needs to follow proper acclimation process. LXH recommends to leave the materials at the installation site at least for one day at room temperature (18°C~29°C) to obtain perfection in installation. Similar temperature and time are required for Adhesives as well.⁵



3. SUITABLESUB-FLOORS

For DECOLAY, no additional underlayment is required because underlay foam is attached as an option. In case of selecting the product without underlay foam, separate underlayment is needed.

Also, DECOLAY is designed and produced for floating installation on existing subfloors with high tolerance variations, to reduce subfloors preparation operations. The table on the right gives an acceptance of the maximum subfloor's imperfections allowed for DECOLAY installation.

If your subfloor information is not available, please contact your local dealer or LXH Technical Department.

4. MOISTURE CONTENT IN SUB-FLOORS


PRESTG CLICK is a moisture resistant product and LXH recommends to respect and conduct best practices with regard to moisture before installation, to avoid moss and bacteria growth under the floorcovering:

The installation site needs to be cured sufficiently by operating a heater before installation.

Then humidity needs to be checked at five random spots, and the average value should be less than 5% CCM (and less than 75% RH).⁶

Regional requirements could be different, so please check the local or national requirements before installation.

SUB-FLOOR	INSTALLATION AUTHORIZED
Concrete or cementitiousscreed	YES- maximum unevenness variation 5mmon 2 linear meters
Anhydrite screed	YES- maximum unevenness variation 5mmon 2 linear meters
Ceramics tiles, stone, marble	YES – Maximum size on joints: 8mm width / 3 mm deep / 2mm high difference betweentiles
Compact floorcovering (heterogeneous, homogeneous, linoleum)	YES – If less than 10% of the surface is damaged. Localised subfloor reparation needs to be planed for damaged area.
Floor painting or resin	YES – If less than 10% of the surface is damaged. Localised subfloor reparation needs to be planed for damaged area.
Floating laminate or LVT	NO – Uplift existing floors before installation
Textiles floors (carpettiles, needlefelt)	NO – Uplift existing floors before installation
Outside	NO -INSTALLATION PROHIBITED







5. ADHESIVES SELECTION


LXH, recommend usage of respectful adhesives for health and safety rules for workers and which are ecofriendly. Solvent base adhesives are prohibited. Using the se adhesives can have negative effects on the floorcovering be haviour. LXH cannot be considered as responsible for damaged on floorcovering due to not suitable adhesive use.

LXH, recommends usage of acrylic adhesive and specifically for DECOLAY floorcoverings, LVT acrylic adhesives. Please contact the LXH Technical Department to obtain information about suitable adhesives, or recommendedmanufacturers. Adhesives usage must be done in accordance with manufacturer recommendation.

6. INSTALLATION

DECOLAY installation must follow the regional requirements.


- Draw center lines across the installation site, so that the entire site is divided into Quadrant. Then determine which of the four areas to begin with and begin placing products from the center.
- Most common installation methods based on the dimension of the products are as follows: .1/3 step installation for wood plank⁷
 .1/2 step installation for rectangle tile⁸
 .Ceramic tile installation for square tile⁹
- The amount of applied adhesive may vary depending on the floor condition, but usually 0.09~0.1 2kg is required persqm.
- Lay the planks or tiles, into the tacked-off adhesive, in order to transfer the adhesive fully on to the backing.
- Cut the planks or tiles, free of tension, against the wall or existing skirtings
- To ensure full contact with adhesive, immediately press every plank or tile with a rubbing block or hand roller.¹⁰







- Immediately roll each section with a (minimum) 50kg flooring roller. Roll several times, in different direction, during the adhesive working time.¹¹
- Clean adhesives stains with a damp cloth.



7. Protection and open to traffic

DECOLAY needs to be protected from heavy traffic for 48 hours to have a perfect adhesive stabilisation time. Light Pedestrian traffic is allowed. All other operation as furniture installation need to be postponed for the next 48 hours.¹²

8. First Cleaning after installation

Prior to open the area to the normal traffic, LXH recommends to clean the surface using vacuum cleaner.¹³


To keep DECOLAY in perfect condition, LXH recommends regular cleaning and maintenance with the right cleaning process.


During furniture installation or movements, LXH recommend to protect the floorcovering and equipped the furniture legs with adapted pad.


The product needs to be protected for long time exposure of direct sunlight. Windows and Glass doors need to be covered properly to protect the nearby floorcoverings.¹⁴

If the products are installed in front of exterior access doors or windows, an entrance mat needs to be utilized.

For additional information or advices about cleaning and protection, please refer to LXH cleaning guidelines.











9. MAINTENANCE GUIDELINES

Regular Maintenance

•

Vacuum and/or Sweep often to prevent dirt build up or scratches.

Mix cleaning solution and water according to Dilution ratio as recommended by the manufacturer.

Damp mop the floor with a micro fiber pad.

Additional cleaning may be necessary for hard to clean or stubborn areas. Always clean and rinse with clean water.

Use of Floor Care Chemicals

The improper use of cleaning chemicals may cause damage and/ or discoloration. Overuse or inadequate rinsing of cleaning chemicals may compromise the performance of the floor.

Abrasive powders or cleansers should not be used. Do NOT use highly alkaline products (ammonia, soda) or strong solvents such as acetone as they can be harmful to both people and to your floor.

