

www.lghausys.com

GRAPHIC SOLUTIONS







Sign & Graphic Materials

LG Hausys Sign & Graphic Materials

Functional Films for Advertising and Vehicle Solutions

LG Hausys offers the complete range of printing solutions in order to fulfill various needs with regards to service and quality. Our range varies from printing film and lamination for different applications to functional films like self-cleaning and anti-graffiti laminates. Vehicle film and windeco range are specially designed to give your space a unique finish. We keep evolving every day to meet your highest demands.




GRAPHIC SOLUTIONS

Sign & Graphic Materials

General **Graphics**

- Excellent printing performance (Solvent, Latex, UV Inkjet)
- · Dimensional stability and performance under wide range of physical and climatic conditions
- · High weather resistance



Super **Opacity**

• Super Opacity with clear adhesive (Tt<5)





UV Print Lamination

• Specially designed to immediately wet-out over UV Inks





LP2822

LD2900


1 Base film 2 Ink 3 UV Lamination

LD3900

LP3922

Anti Graffiti Lamination


- Premium overlaminate casting film which is coated with PVDF.
- Anti graffiti performance for 3D applications
- Excellent chemical, scratch, stain resistance



LFC80990

Self Cleaning Lamination


- Premium overlaminate casting film which is coated with self cleaning layer
- Minimizing contaminants adhesion
- Self cleaning functions (water cut the contaminations off and them to be washed away)





Self Healing Lamination

• Self Healing performance in room temperature



LP3932

Slidable **DPM**

- Digitally printable film for Vehicle advertising
- Superior durability and printability
- Easy application with slidable adhesive








LD92HT

LD39HT

LD59HT

Auto Decal

- Vehicle decal stickers
- High chemical resistance
- · Super-flat liner for silk screen printing



AC380TG

AW391HM

V-Guard

Vehicle Protection Film

LG Hausys V-Guard Film is a highly conformable cast PVC film for protection of car exteriors with a superb transparency and gloss finish



1. Excellent Finish Ultra clarity and high gloss surfaces



2. Easy Handling 95µm dual cast film provides easy stretching and positioning



3. Outstanding Performance

G2: Self-healing performace in room temperature

G1: Scratch recovery with heat gun



VWP89000S (G1)

TPH88000S (G2)

V-Wrap

Colored Wrapping Film

LG Hausys V-Wrap Film designed for full vehicle wraps with a premium quality and unique finishes will bring personality to your car.

1. Excellent Finish Various colors with a high gloss, satin or matte finish will give your car a distinctive look

2. Easy Handling 90~100 µm dual cast film provides easy stretching and positioning

3. Easy Installations Slidable and repositionable pressure sensitive adhesive with air free channels will save your time and keep the quality of the look





VWC120G

Wall Graphics

- · Specially designed for wall advertising
- Excellent dimensional stability and image quality after application
- Outdoor(Ultra-tack adhesive) : Smooth concrete, Brick-type wall patterned tile, etc
- Indoor : Indoor wall advertising display, Column, etc





LD3880

LW38ATM

Floor Graphics

- Indoor floor advertising
- Optimal protection with non-slip embossed finish
- Long-lasting durability





LM40000

LM41000

Backlit Graphics

- White Translucent Matte calendered PVC film
- · Specially designed for backlit advertising





LD4910M

Window **Graphics**

Clear View

- Optically clear film for window graphic with ultra clarity
- Solvent, latex, UV printable
- Easy application with removable adhesive





LP3962G

LW004PG

Vivid Vision

- Specially designd Backlit film (maximized Light Diffusion Effect)
- Brighter image with strong visibility



→ Vivid Vision Application

White DPM / Poster

LW014PM

LW024PM

One-way Vision

LM50000

- 50% perforated for window graphic
- Outstanding see-through effect

LM5300W


- 30% perforated for channel sign solutions
- Dual color effect : Day (Original color) / Night (White by lighting)








Night (White by lighting)



LM50000



ART Canvas

LG Hausys' ART Canvas is a versatile product made of PET materials in classy designs ideal for diverse spaces for relaxation, living, and work.

1. Anti-Scattering

- Test Method : JIS A 5759
- Anti-scattering function prevents the secondary accident caused by pieces of broken glass in the event of sudden glass breakage

2. UV-Cut

- UV blocking ratio > 99% blocks
- harmful UV rays from daily life and prevents pigmentation, freckles, and skin aging


3. Scratch Resistance

- Surface strength has been improved through surface hard coating (Scratch hardness>2H)
- · Contaminant resistant is outstanding

(No strain remained after alcohol cleaning of contaminantby oily marker that was neglected for 1 day)

4. Privacy Protection

Blocking view from outside to protect personal privacy





SELECTION GUIDE

Sign & Graphic Materials

10

Category I	Category II	Product Code	Material	Fil	m Type Color	Adi	hesive Color	Air free	Liner	Durability	Width(cm)	Description
Graphic	Premium	LD8210	PVC	58µm	White Gloss	Permanent	Grey		PE Coated Paper	Up to 7 yrs	122,137,152	
Solutions	Cast	LD821T	PVC	58µm	White Gloss	Permanent	Grey	•	PE Coated Paper	Up to 7 yrs	122,137,152	
		LD9210	PVC	50µm	White Gloss	Permanent	Grey		PE Coated Paper	Up to 7 yrs	122,137,152	
		LD921T	PVC	50 _µ m	White Gloss	Permanent	Grey	•	PE Coated Paper	Up to 7 yrs	122,137,152	
	Polymeric	LD3900	PVC	95µm	White Gloss (Matte)	Permanent	Clear		PE Coated Paper	Up to 5 yrs	105,137,152, 155,160	Super opacity for overposting
		LD3911	PVC	80 _µ m	White Gloss (Matte)	Permanent	Grey		PE Coated Paper	Up to 5 yrs	105,137,152, 155,160	
		LD3921	PVC	80 _µ m	White Gloss (Matte)	Permanent	Clear		PE Coated Paper	Up to 5 yrs	105,137, 152,155	
		LD391T	PVC	80 _µ m	White Gloss (Matte)	Permanent	Grey	•	PE Coated Paper	Up to 5 yrs	105,137, 152,155	
		LD3950	PVC	80 _µ m	White Gloss (Matte)	Removable	Grey		PE Coated Paper	Up to 5 yrs	105,137, 152,155	
		LD395T	PVC	80 _µ m	White Gloss (Matte)	Removable	Grey	•	PE Coated Paper	Up to 5 yrs	105,137, 152,155	
		LD6911	PVC	80 _µ m	White Gloss (Matte)	Permanent	Grey		Superflat Liner	Up to 5 yrs		Superflat liner for flatbed printing
		LD691T	PVC	80 _µ m	White Gloss (Matte)	Permanent	Grey	•	Superflat Liner	Up to 5 yrs	137,152	Superflat liner for flatbed printing
	Blended	LD3811	PVC	100µm	White Gloss (Matte)	Permanent	Grey		PE Coated Paper	Up to 3 yrs	105,127,137, 152,155	
		LD381T	PVC	100µm	White Gloss (Matte)	Permanent	Grey	•	PE Coated Paper	Up to 3 yrs	105,137,152	
		LD3850	PVC	80 _µ m	White Gloss (Matte)	Removable	Grey		PE Coated Paper	Up to 3 yrs	105,137, 152,155	
		LD385T	PVC	80 _µ m	White Gloss (Matte)	Removable	Grey	•	PE Coated Paper	Up to 3 yrs	137,152	
	Monomeric	LD2900	PVC	95 <i>µ</i> m	White Gloss (Matte)	Permanent	Clear		PE Coated Paper	Up to 2 yrs	105,127,137, 152,155,160	Super opacity for overposting
		LD2800	PVC	100µm	White Gloss (Matte)	Permanent	Clear		PE Coated Paper	Up to 2 yrs	105,127,137, 152,155,160	
		LD280T	PVC	100µm	White Gloss (Matte)	Permanent	Clear	•	PE Coated Paper	Up to 2 yrs	105,127,137, 152,155	
		LD2810	PVC	100µm	White Gloss (Matte)	Permanent	Grey		PE Coated Paper	Up to 2 yrs	105,127,137, 152,155,160	
		LD281T	PVC	100µm	White Gloss (Matte)	Permanent	Grey	•	PE Coated Paper	Up to 2 yrs	105,127,137, 152,155	
		LD2840	PVC	100µm	White Gloss (Matte)	Removable	Clear		PE Coated Paper	Up to 2 yrs	105,127,137, 152,155	
		LD284T	PVC	100µm	White Gloss (Matte)	Removable	Clear	•	PE Coated Paper	Up to 2 yrs	105,127,137,	
		LD2850	PVC	100µm	White Gloss (Matte)	Removable	Grey		PE Coated Paper	Up to 2 yrs	152,155 105,127,137, 152,155	
		LD285T	PVC	100µm	White Gloss (Matte)	Removable	Grey	•	PE Coated Paper	Up to 2 yrs	105,127,137, 152,155	
		LD2700	PVC	80 _µ m	White Gloss (Matte)	Permanent	Clear		PE Coated Paper	Up to 2 yrs	105,127,137,	
		LD270T	PVC	80 _µ m	White Gloss (Matte)	Permanent	Clear	•	PE Coated Paper	Up to 2 yrs	152,155 105,127,137,	
		LD2710	PVC	80 _µ m	White Gloss (Matte)	Permanent	Grey		PE Coated Paper	Up to 2 yrs	152,155 105,127,137,	
		LD2740	PVC	80 _µ m	White Gloss (Matte)	Removable	Clear		PE Coated Paper	Up to 2 yrs	152,155 105,127,137, 152,155	
		LD2750	PVC	80 _µ m	White Gloss (Matte)	Removable	Grey		PE Coated Paper	Up to 2 yrs	105,127,137, 152,155	
Lamination	Premium	LFC80990	PVC	58µm	Clear Gloss	Permanent	Clear		PE Coated Paper	Up to 7 yrs		Anti graffiti (PVDF Coated)
Film	Cast	LCS90SC	PVC	58 _µ m	Clear Gloss	Permanent	Clear		PE Coated Paper	Up to 7 yrs		Self cleaning (Casting)
		LPT90SC	PET	28µm	Clear Gloss	Permanent	Clear		PET Liner	Up to 5 yrs	122	Self cleaning (PET)
		TPH80990	PVC	58µm	Clear Gloss	Permanent	Clear		PE Coated Paper	Up to 7 yrs	137,150	Self healing (Casting)
		LP80990	PVC	58 _µ m	Clear Gloss	Permanent	Clear		PE Coated Paper	Up to 7 yrs	122,137,152	
		LP809904	PVC	40 _µ m	Clear Gloss	Permanent	Clear		PE Coated Paper	Up to 7 yrs	122,137,152	
		LP90990	PVC	58µm	Clear Matte	Permanent	Clear		PE Coated Paper	Up to 7 yrs	122,137,152	
		LP909904	PVC	40 _µ m	Clear Matte	Permanent	Clear		PE Coated Paper	Up to 7 yrs	122,137,152	
		LP89000	PVC	58µm	Clear Gloss	Permanent	Clear		PET Liner	Up to 7 yrs		Suitable for oneway vision overlamination
	Polymeric	LP3912	PVC	90 _µ m	Clear Gloss (Matte)	Permanent	Clear		PE Coated Paper	Up to 5 yrs	105, 137, 152,	-
		LP5912	PVC	50 _µ m	Clear Gloss (Matte)	Permanent	Clear		PE Coated Paper	Up to 5 yrs	155, 160 105, 137,	
		LP3922	PVC	90 _µ m	Clear Gloss (Matte)	Permanent	Clear		PE Coated Paper	Up to 5 yrs	152, 155 137, 152, 160	Suitable for UV printing
		LP3932	PVC	95µm	Clear Gloss	Permanent	Clear		PET Liner	Up to 5 yrs	137, 152	Self healing (Polymeric)
	Blended	LP3812	PVC	80 _µ m	Clear Gloss (Matte)	Permanent	Clear		PE Coated Paper	Up to 3 yrs	105, 137,	
	Monomeric	LP2812	PVC	70 _µ m	Clear Gloss (Matte)	Permanent	Clear		PE Coated Paper	Up to 2 yrs	152, 155 105,127,137,	
		LP2822	PVC	70 _µ m	Clear Gloss (Matte)	Permanent	Clear		PE Coated Paper	Up to 2 yrs	152,155,160 137, 152, 160	Suitable for UV printing
Vehicle	Premium	LD92HT	PVC	50µm	White Gloss (Matte)	Slidable	Grey	•	PE Coated Paper	Up to 7 yrs	137, 152	Upgrade slidable performance
Wrapping Solutions	Cast	LD923T	PVC	50 _µ m	White Gloss (Matte)	Repositionable	Grey	•	PE Coated Paper	Up to 7 yrs	137, 152	
		LD823T	PVC	58 _µ m	White Gloss	Repositionable	Grey	•	PE Coated Paper	Up to 7 yrs	137, 152	
	Polymeric	LD39HT	PVC	80 _µ m	White Gloss (Matte)	Slidable	Grey	•	PE Coated Paper	Up to 5 yrs		Upgrade slidable performance
	,	LD59HT	PVC	50µm	White Matte	Slidable	Grey	-	PE Coated Paper	Up to 5 yrs		Upgrade slidable performance
	Monomeric	LD38HT	PVC	80 _µ m	White Gloss (Matte)	Slidable	Grey	-	PE Coated Paper	Up to 3 yrs		Upgrade slidable performance
		SPB014G	PVC	90 _{µm}	White Gloss (Matte)	Removable	Clear		PE Coated Paper	Up to 1 yrs	105, 127,	-L2. The produce be to the contract
				,	(***************************				· apar	r J.s	137, 152	

Sign & Graphic Materials

11

Category I	Category II	Product Code	Material	Thickness	m Type Color	Type	Color	Air free	Liner	Durability	Width(cm)	Description
	Auto Decal	AC380TG	PVC	55µm	Clear Gloss	Permanent	Clear	•	PE Coated Paper	Up to 3 yrs	110	For motorcycle sticker
		AC391HG	PVC	55µm	Clear Gloss	Permanent	Clear		Superflat Blue Liner	Up to 3 yrs	110	For motorcycle sticker
		AW391HM	PVC	55µm	White Matte	Permanent	Clear		Superflat Blue Liner	Up to 3 yrs	110	(Gasoline Resistance) For motorcycle sticker
	V-Wrap	100 Series	PVC	90µm	Colored Gloss (Satin)	Slidable	Clear	•	PE Coated Paper	Up to 5 yrs	150	(Gasoline Resistance) Colored cast
		200 Series	PVC	90µm	Colored Gloss (Satin)		Clear	•	PE Coated Paper	Up to 7 yrs		Colored cast+PVDF* Layer
		300 Series	PVC	90µm	Colored Gloss (Satin)		Clear	•	PE Coated Paper	Up to 5 yrs		Metallic cast+PVDF* Layer
	V-Guard	TPH88000S	PVC	95µm	Clear Gloss	Slidable	Clear		PET Liner	Up to 5 yrs	150	Self healing performance
		VWP89000S	PVC	95µm	Clear Gloss	Slidable	Clear		PET Liner	Up to 5 yrs		in room temperature Scratch recovery with heat gun
Specialty	Wall	LD9280	PVC	50µm	White Gloss	Ultratack	Clear		PE Coated Paper	Up to 1 yr	137	Suitable for textured wall applications
Specialcy	Graphic	LD3880	PVC	80 _µ m	White Gloss (Matte)	Ultratack	Clear		PE Coated Paper	Up to 1 yr	105,137,	(concrete, brick, marble, etc) Suitable for textured wall applications
		LD39A0	PVC	80 _µ m	White Gloss (Matte)	Ultratack	Grey		PE Coated Paper	Up to 1 yr	105,137,	(concrete, brick, marble, etc) Suitable for textured wall applications
		LD5980	PVC	50µm	White Gloss (Matte)	Ultratack	Clear		PE Coated Paper	Up to 1 yr	152,155 137,152	(concrete, brick, marble, etc) Suitable for textured wall applications
		LD3882	PVC	90 _{µm}	White Gloss	Ultratack	Clear		PE Coated Paper	Up to 1 yr	137,152	(concrete, brick, marble, etc) Suitable for textured wall applications
		LW38ATM	PVC	150µm	White Matte	Ultratack	Grey		PE Coated Paper	Up to 1 yr	137,152	(concrete, brick, marble, etc) Suitable for textured wall applications
		LW3840M	PVC	150µm	White Matte	Removable	Clear		PE Coated Paper	Up to 2 yrs	137,152	(concrete, brick, marble, etc) Suitable for smooth wall applications
		LW3850M	PVC	150µm	White Matte	Removable	Grey		PE Coated Paper	Up to 2 yrs	137,152	(indoor) Suitable for smooth wall applications
	Floor	LM40000	PVC	200µm	Embossed Clear	Permanent	Clear		PE Coated Paper	Up to 3 yrs		(indoor) Suitable for indoor applications
	Graphic	LM41000	PVC	200µm	Embossed Clear	Permanent	Clear		PE Coated Paper	Up to 3 yrs		Suitable for indoor applications
		LM48000	PVC	200μm	Embossed Clear	Ultratack	Clear		PE Coated Paper	Up to 1 yr		Suitable for outdoor applications
	Backlit										105,137,	Suitable for outdoor applications
	Graphic	LD4910M	PVC	100µm	Translcent White	Permanent	Clear		PE Coated Paper	Up to 5 yrs	152,155	
	MG-d	LD4940M	PVC	100µm	Translcent White	Removable	Clear		PE Coated Paper	Up to 5 yrs	137, 152	
	Window Graphic	LP3962G	PVC	90µm	Ultra Clear Gloss	Removable	Clear		PET Liner	Up to 1 yr		Suitable for window applications
		LW004PG	PET	100µm	Ultra Clear Gloss	Removable	Clear		PET Liner	Up to 6 months		Suitable for window applications
		LW014PM	PET	85µm	Milky Matte	Removable	Clear		PET Liner	Up to 6 months		Vivid vision (UV/Latex printable)
		LW024PM	PET	110µm	Milky Matte	Removable	Clear		PET Liner	Up to 6 months		Vivid vision (Solvent/Latex/UV printable)
		LW026PM	PP	160µm	White Matte	Removable	Clear		PP Liner PE Coated Paper	Up to 6 months		Suitable for indoor applications
		LM5300W	PVC	140µm	Perforated Film(50%)		Clear		+PET Liner PE Coated Paper	Up to 1 yr	122	
		LM50000	PVC	140µm	Perforated Film(30%)		Clear		+PET Liner	Up to 1 yr	122	
		LM54000	PVC	160µm	Perforated Film(40%)		Clear		PE Coated Paper	Up to 1 yr	137,152	
ART Canvas	Gradation	LC5601	PET	50µm	Dot Gradation	Permanent	Clear		PET Liner	Indoor 3 yrs	127	
		LC5602	PET	50µm	Small Dot Gradation	Permanent	Clear		PET Liner	Indoor 3 yrs	127	
		LC5603	PET	50µm	Stripe Gradation	Permanent	Clear		PET Liner	Indoor 3 yrs	127	
		LC5604	PET	50µm	Small Stripe Gradation		Clear		PET Liner	Indoor 3 yrs	127	
	Dot	LC5605	PET	50µm	Dot	Permanent	Clear		PET Liner	Indoor 3 yrs	127	
		LC5606	PET	50µm	Negative Dot	Permanent	Clear		PET Liner	Indoor 3 yrs	127	
	Stripe	LC5607	PET .	50µm	Stripe	Permanent	Clear		PET Liner	Indoor 3 yrs	127	
		LC5608	PET	50µm	Small Stripe	Permanent	Clear		PET Liner	Indoor 3 yrs	127	
	Abstract	LC5609	PET	50µm	String	Permanent	Clear		PET Liner	Indoor 3 yrs	127	
		LC5610	PET	50µm	Hanji	Permanent	Clear		PET Liner	Indoor 3 yrs	127	
	Solid	LC5611	PET	50µm	Gloss Milky	Permanent	Clear		PET Liner	Indoor 3 yrs	127	
		LC5612	PET	50µm	Matte Milky	Permanent	Clear		PET Liner	Indoor 3 yrs	127	
		LC5613	PET	50µm	Clear	Permanent	Clear		PET Liner	Indoor 3 yrs	127	
Windeco (PVC)	Glass Etched	LC5510	PVC	90µm	Deep Silver	Permanent	Clear		PE Coated Paper	Up to 5 yrs	122, 152	
		LC5511	PVC	90µm	Gold Etched	Permanent	Clear		PE Coated Paper	Up to 5 yrs	122	
		LC5560	PVC	90µm	Silver	Permanent	Clear		PE Coated Paper	Up to 5 yrs	122, 152	
		LC5580	PVC	90µm	Light Silver	Permanent	Clear		PE Coated Paper	Up to 5 yrs	122	
	Fog	EP115	PVC	100µm	Fog	Permanent	Clear		PE Coated Paper	Up to 3 yrs	100, 122	
		LC5520	PVC	130µm	Fog (Clear)	Removable	Clear		PE Coated Paper	Up to 3 yrs	92, 122	
		LC5521	PVC	130µm	Fog (Milky)	Removable	Clear		PE Coated Paper	Up to 3 yrs	92, 122	
		LC5522	PVC	130µm	Fog (Brown)	Removable	Clear		PE Coated Paper	Up to 3 yrs	122	
	Mosaic	LC5540	PVC	130µm	Mosaic (Square)	Removable	Clear		PE Coated Paper	Up to 3 yrs	122	
		LC5550	PVC	130µm	Mosaic (Cube)	Removable	Clear		PE Coated Paper	Up to 3 yrs	122	
	Milky	LC4550	PVC	80 _p m	Light Milky	Permanent	Clear		PE Coated Paper	Up to 3 yrs	122, 152	
		LC5570	PVC	90 <i>µ</i> m	Milky	Permanent	Clear		PE Coated Paper	Up to 5 yrs	122	
	Diamond	LA8082N	PVC	75 _µ m	Sparkling Diamond	Permanent	Clear		PE Coated Paper	Up to 3 yrs	122	



Headquarters LG Hausys, Ltd

Fl. 15-19, One IFC, 10 Gookjegeumyoong-Ro, Yeongdeungpo-gu, Seoul, Korea Email : lginfo@lghausys.com

www.lghausys.com

Sales Subsidiary

U.S.A	LG Hausys America. Inc. 900 Circle 75 Parkway, Suite1500,
(Atlanta)	Atlanta. GA 30339 Tel.1-678-486-8244
RUSSIA	LG Hausys Rus, LLC. Lesnaya Plaza 8th floor, 4, 4th Lesnoy

(Moscow) pereulok, Moscow, 125047, Russia Tel.7-495-663-39-58

CHINA LG Hausys Trading Co., Ltd. 19F Magnolia Plaza No.777

(Shanghai) Hongqiao Road, Xuhui District, Shanghai, China 200030
Tel.86-21-5241-6600

INDIA LG Hausys India Pvt. Ltd. Delta Tower, 6th Floor,
(Gurgaon) Plot No.54, Sector 44 Gurgaon-122001, Haryana, India
Tel.91-124-4212590

EUROPE LG Hausys Europe GMBH Lyoner str 15, Atricom C8, (Frankfurt) D-60528 Frankfurt/m, Germany Tel.49-69-583029-0
CANADA LG Hausys Canada, Inc. 423 Four Valley Dr. Concord,

CANADA LG Hausys Canada, Inc. 423 Four Valley Dr. Concord, (Toronto) ON L4K 5Z3, Canada Tel.1-905-660-4746

Overseas Branch

TURKEY	Kempinski Residences Astoria Bü yü kdere Cad. No:127 A Kule	
(Istanbul)	Kat:7 P.K. 34394 Esentepe Şişli / Istanbul, Turkey	
	Tel.90-212-285-1101	
INDONESIA	LG Hausys, Ltd. Jakarta Office Tower One at The City Center	
(Jakarta)	(TCC) Batavia 18th Floor, Unit 2B KH. Mas. Mansyur Kav. 126	
	KIK IT IK TIAN II IB IAANNA	

Kel. Karet Tengsin, Kec. Tanah Abang Jakarta Pusat-10220
Tel.62-21-2967-5043

U.A.E

LG Hausys, Ltd. Dubai Office Dubai Internet City Building @3,
(Dubai)

Dubai, United Arab Emirates Tel.971-4-553-1452

JAPAN LG Hausys, Ltd. Tokyo Office Kyobashi Trust-Tower 14F, 2-1-3
(Tokyo) Kyobashi, Chuo-ku, Tokyo, 104-0031, Japan

VIETNAM LG Hausys, Ltd. L9-04, 9 Flr, Vincom Center Dong Khoi, 72 Le (Ho Chi Minh) Thanh Ton Str, Ben Nghe Wrd, Dist 1, HCMC

Tel.84-28-3915-8909/10